

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	195636	((("380") or ("709") or ("726") or ("711") or ("713")). CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 17:56
L2	1	"10/539,648"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:56
L3	1	L1 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:56
L4	3	(digest with digital with signature with hash with condition \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L5	3	L1 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L6	1	(digest with digital with signature with hash with condition \$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L7	1	L1 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57

L8	5	(digest with signature with hash with condition\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L9	5	L1 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L10	1	(digest with signature with hash with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L11	1	L1 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L12	24	(digest with signature with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L13	15	L1 and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L14	5	(hash with signature with condition\$2 with (cryptography or encrypt\$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L15	4	L1 and L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57

L16	1	"09/831,071"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L17	1	L1 and L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L18	1169	(hash with signature with (cryptography or encrypt\$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L19	729	L1 and L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:57
L20	26056084	(hash with signature with (cryptography or encrypt\$4)) and (digest) and (condition) @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L21	98389	L1 and L20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L22	148	(hash with signature with (cryptography or encrypt\$4)) and (digest) and (condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L23	116	L1 and L22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58

L24	12	(hash with signature with (cryptography or encrypt\$4)) and (digest) and (content with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L25	9	L1 and L24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L26	2	(hash with signature with (cryptography or encrypt\$4)) and (digest with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L27	1	L1 and L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L28	9	"09/201,475"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L29	7	L1 and L28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:58
L30	90	(hash with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59

L31	63	L1 and L30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
L32	44	(hash with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) with condition) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
L33	29	L1 and L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
L34	71	(hash\$3 with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) with (condition\$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 17:59
L35	54	L1 and L34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
L36	120	(hash\$3 with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) same (condition\$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 17:59

L37	96	L1 and L36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 17:59
S1	1	"10/539,648"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:26
S2	3	(digest with digital with signature with hash with condition \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:53
S3	1	(digest with digital with signature with hash with condition \$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:57
S4	5	(digest with signature with hash with condition\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:59
S5	1	(digest with signature with hash with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 16:59
S6	24	(digest with signature with condition\$2) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 17:00
S7	5	(hash with signature with condition\$2 with (cryptography or encrypt\$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:57

S8	1	"09/831,071"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:00
S9	1169	(hash with signature with (cryptography or encrypt\$4)) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:02
S10	26056084	(hash with signature with (cryptography or encrypt\$4)) and (digest) and (condition) @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:03
S11	148	(hash with signature with (cryptography or encrypt\$4)) and (digest) and (condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:03
S12	12	(hash with signature with (cryptography or encrypt\$4)) and (digest) and (content with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:04
S13	1	"08/822,732"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 18:20
S14	9	"09/201,475"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 07:32

S15	2	(hash with signature with (cryptography or encrypt\$4)) and (digest with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:02
S16	90	(hash with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) with condition) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:03
S17	44	(hash with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) with condition) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:06
S18	97	(hash with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) with (condition\$3 or terms)) and (("one-way" or (noe adj way)) with hash) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/14 08:52
S19	71	(hash\$3 with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) with (condition\$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 09:01

S20	120	((hash\$3 with (digest or signature) with (cryptography or encrypt\$4)) and ((digest or signature) same (condition\$3 or terms)) and (("one-way" or (noe adj way)) with hash\$3) and @ad < "20021221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/14 09:23
-----	-----	---	---	----	-----	---------------------

8/ 14/ 2009 6:00:55 PM

C:\ Documents and Settings\ nwoldemariam\ My Documents\ EAST\ Workspaces\ 10539648.
wsp